




MANUALLY CONTROLLED AC RESISTIVE LOAD BANK

Rata 瑞泰

Rata Tech-ISO9001:2015
Professional Manufacturer
of Load Bank

Specifications	
Product name	Rack Mounted Load Bank
Use	IST commissioning in data center & data room. Testing both electrical network (UPS, Diesel generator, etc.) & air conditioning (free cooling, etc.), the rack-mounted load bank is simulating exact electrical & air conditioning impact of servers in the rack cabinet.
Model No.	RTJJ230-07-S-3
Electrical characteristics	
Capacity	3kW,3.5kW,4kW,4.5kW,5kW,6kW,7kW
Design voltage	400/230VAC,3/1Ph,50/60Hz
Full load rating	Nominal: 3kW,3.5kW,4kW,4.5kW,5kW,6kW,7kW
Load adjust	MCB(ABB/Schneider brand) for step control
	
Load steps	Based on the capacity and minimum load step
Minimum step	500W/1000W
Input source	Single/Dual
Fan working source	Internal from testing power source
Protection	IP23
Duty cycle	Continuous
Ventilation	
Cooling	4 low noises,horizontal force air cooling DC fans, Installed inside the load bank,powered from the test source.
	
Air flow	Air is sucked in the front and blown out horizontally at the rear.
Mechanical characteristics	
Technology	Expanded metal grids type insulated by ceramic rings

DEYANG RATA TECHNOLOGY CO.,LTD.

Hongyu Road,Jinshan Industrial Zone,Luojiang District,Deyang City,China.

Attention: Winston Mobil:+86 1360 810 8439 Skype:hushoujin1982 E-mail:winston@cnloadbank.com www.rata.top



MANUALLY CONTROLLED AC RESISTIVE LOAD BANK

Rata 瑞泰

Rata Tech-ISO9001:2015
Professional Manufacturer
of Load Bank

Cabinet color	Yellow/Blue/Red/Gray can be selected.
Packing	Carton+wrap film 
Dimension (L*W*H)	3kW,3.5kW=3U;4kW,4.5kW=4U;5kW,6kW,7kW=6U
Weight	Maximum 30kg
Movement	2 Front handles  Option1(free) Option 2(free)
Element type	High temperature Ni-chrome finned resistor elements 
Accessories	
3 cables	C19/C20≤16A 1.5/2Mtr(7-11kW) C13≤10A 1.5/2Mtr(3kW~6KW)

DEYANG RATA TECHNOLOGY CO.,LTD.

Hongyu Road,Jinshan Industrial Zone,Luojiang District,Deyang City,China.

Attention: Winston Mobil:+86 1360 810 8439 Skype:hushoujin1982 E-mail:winston@cnloadbank.com www.rata.top



MANUALLY CONTROLLED AC RESISTIVE LOAD BANK

Rata瑞泰

Rata Tech-ISO9001:2015
Professional Manufacturer
of Load Bank



Options

- ① Dual power source
 - ② Air flow adjustable
 - ③ 32A waterproof plug(3~7KW) ↓
- Cables length can be selected(3m,6m,12m,15m)



- ⑤ High temperature protection(+Temperature control switch+contactor)
- ⑥ The panel style of the load bank(free selection)



Option 1



Option 2



Option 3



Option 4

DEYANG RATA TECHNOLOGY CO.,LTD.

Hongyu Road,Jinshan Industrial Zone,Luojiang District,Deyang City,China.

Attention: Winston Mobil:+86 1360 810 8439 Skype:hushoujin1982 E-mail:winston@cnloadbank.com www.rata.top